

| PO No    | Supplier  | Line Item No | Rel No    | Terms  | Purchased Item                           | Description   | For Part No | Project | Equipment ID | Order Qty | Due Date  | Received Quantity | Accounting Job No | Serial No | Status | Receive Date | Price/Unit               | Aging Days | Past Due | Total    | Supplier Name            |
|----------|-----------|--------------|-----------|--------|--|---|-------------|---------|--------------|-----------|-----------|-------------------|-------------------|-----------|--------|--------------|--------------------------|------------|----------|----------|--------------------------|
| PO038512 | MCM001-VU | 1            | 1         | Net 30 | 3408A88                                  | Slotted Spring Plunger without thread locker receive ea |             |         |              | 6         | 12/1/2017 | 6                 |                   | S016484   | Stock  | 12/1/2017    | \$ 4.36 / Ea             | 0          |          | \$26.16  | McMaster-Carr Supply Co, |
|          |           | 2            | 90128A274 |        | Socket Head Cap Screw receive ea         |   |             | 50      | 50           | S016485   | Stock     | 12/1/2017         | \$ 0.25 / Ea      | 0         |        | \$12.33      | McMaster-Carr Supply Co, |            |          |          |                          |
|          |           | 3            | 8893K178  |        | Ø3/16 O1 Tool Steel Rod                  |   | carb?       | 12      | ✓12          | ✓S016486  | Stock     | 12/1/2017         | \$ 1.15 / ft      | 0         |        | \$13.80      | McMaster-Carr Supply Co, |            |          |          |                          |
|          |           | 4            | 8908K62   |        | Shaft                                    |   |             | 100     | 100          | S016487   | Stock     | 12/1/2017         | \$ 0.14 / ft      | 0         |        | \$14.25      | McMaster-Carr Supply Co, |            |          |          |                          |
|          |           | 5            | 8541K19   |        | Black Nylon                              |   | carb?       | 5       | ✓5           | ✓S016488  | Stock     | 12/1/2017         | \$ 2.01 / ft      | 0         |        | \$10.05      | McMaster-Carr Supply Co, |            |          |          |                          |
|          |           | 6            | 2044T46   |        | Tube Ø0.93 receive ea                    |   |             | 8       | 8            | S016489   | Stock     | 12/1/2017         | \$ 2.25 / Ea      | 0         |        | \$18.00      | McMaster-Carr Supply Co, |            |          |          |                          |
|          |           | 7            | 2044T47   |        | Tube Ø1.09 receive ea                    |   |             | 10      | 10           | S016490   | Stock     | 12/1/2017         | \$ 2.42 / Ea      | 0         |        | \$24.20      | McMaster-Carr Supply Co, |            |          |          |                          |
|          |           | 8            | 95229A420 |        | Flat Washer receive pcs                  |   |             | 100     | 100          | S016491   | Stock     | 12/1/2017         | \$ 0.03 / pcs     | 0         |        | \$3.09       | McMaster-Carr Supply Co, |            |          |          |                          |
|          |           | 9            | 94505A533 |        | Rigging Pin Assembly, No. 5, Ø1/4" x 2"  |   |             | 8       | 8            | S016492   | Stock     | 12/1/2017         | \$ 18.20 / Ea     | 0         |        | \$145.60     | McMaster-Carr Supply Co, |            |          |          |                          |
|          |           | 10           | 3896T31   |        | Ferule 1/16 X 3/8" - Aluminum receive ea |   |             | 300     | 300          | S016493   | Stock     | 12/1/2017         | \$ 0.13 / Ea      | 0         |        | \$39.38      | McMaster-Carr Supply Co, |            |          |          |                          |
|          |           | 11           | 98381A172 |        | Dowel Pin                                |   |             | 10      | 10           | S016494   | Stock     | 12/1/2017         | \$ 1.00 / Ea      | 0         |        | \$10.00      | McMaster-Carr Supply Co, |            |          |          |                          |
|          |           | 12           | 91255A273 |        | Socket head cap srew                     |   |             | 50      | 50           | S016495   | Stock     | 12/1/2017         | \$ 0.24 / Ea      | 0         |        | \$11.77      | McMaster-Carr Supply Co, |            |          |          |                          |
| Total:   |           |              |           |        |  |   |             |         |              | 659       |           | 659               |                   |           |        |              |                          |            |          | \$328.61 |                          |



200 Aurora Industrial Pkwy  
Aurora OH 44202-8087  
330-995-5500  
cle.sales@mcmaster.com

Dart Aerospace Ltd  
1270 Aberdeen St  
Hawkesbury ON K6A 1K7  
Canada

Purchase Order  
**PO038512**

Order Placed By  
**Chantal Lavoie**

McMaster-Carr Number  
**4028077-02**

Page 1 of 1

11/29/2017

| Line | Product  | Ordered    | Shipped |
|------|--|------------|---------|
| 1    | <b>3408A88</b> Slotted Spring Plunger with 440C Stainless Steel Ball-Nose, 18-8 Stainless Steel Body, 4-48, 0.1-0.5 lb. Force, without Thread Lock | 6<br>Each  | (6)     |
| 2    | <b>90128A274</b> Zinc-Plated Alloy Steel Socket Head Screw, M8 x 1.25 mm Thread, 20 mm Long, Packs of 50   | 1<br>Pack  | (1)     |
| 4    | <b>8908K62</b> Spring-Back 302/304 Stainless Steel Wire, Matte Finish, 1-Foot Long, 0.059" Diameter, Packs of 100                                  | 1<br>Pack  | (1)     |
| 8    | <b>95229A420</b> Cadmium-Plated Steel MIL. Spec. Washer for 1/4" Screw Size, NAS 1149-F0432P, Packs of 100   | 1<br>Pack  | (1)     |
| 9    | <b>94505A533</b> Locking Push-Pull Quick-Release Pin, Ring-Grip, 1/4" Diameter, 2" Usable Length   | 8<br>Each  | (8)     |
| 10   | <b>3896T31</b> Wire Rope Compression Sleeve for 1/16" Rope Diameter - Not for Lifting, Packs of 50   | 6<br>Packs | (6)     |
| 11   | <b>98381A172</b> Dowel Pin, Alloy Steel, 1/8" Diameter, 11/16" Long, Packs of 5  | 2<br>Packs | (2)     |
| 12   | <b>91255A273</b> Hex Drive Rounded Head Screw, Black-Oxide Alloy Steel, 10-32 Thread Size, 1" Long, Packs of 50                                    | 1<br>Pack  | (1)     |

Purchase Order  
PO038512

Page 2 of 2

200 Aurora Industrial Pkwy  
Aurora OH 44202-8087  
330-995-5500  
cle.sales@mcmaster.com

Dart Aerospace Ltd  
1270 Aberdeen St  
Hawkesbury ON K6A 1K7  
Canada

Order Placed By  
Chantal Lavoie

11/29/2017

McMaster-Carr Number  
4028077-02

| Line | Product  | Ordered    | Shipped | LNS P/01 | A11 |
|------|--|------------|---------|----------|-----|
| 11   | 98381A172 Dowel Pin, Alloy Steel, 1/8" Diameter, 11/16" Long, Packs of 5                                 | 2<br>Packs | 2       | 2 - 689  | 11  |
| 12   | 91255A273 Hex Drive Rounded Head Screw, Black-Oxide Alloy Steel, 10-32 Thread Size, 1" Long, Packs of 50 | 1<br>Pack  | 1       | 2 - 685  | 12  |



200 Aurora Industrial Pkwy  
Aurora OH 44202-8087  
330-995-5500  
cle.sales@mcmaster.com

Dart Aerospace Ltd  
1270 Aberdeen St  
Hawkesbury ON K6A 1K7  
Canada

Purchase Order  
**PO038512**

Order Placed By  
**Chantal Lavoie**

McMaster-Carr Number  
**4028077-01**

Page 1 of 1

11/29/2017

| Line | Product  | Ordered    | Shipped |
|------|--|------------|---------|
| 3    | 8893K178 Tight-Tolerance Multipurpose O1 Tool Steel Rod, 0.1875" Diameter, 6 Feet Long | 2<br>Each  | 2 MHT   |
| 5    | 8541K19 Black Nylon Rod, 5/8" Diameter, 5 Feet Long                                    | 5<br>Feet  | 5 Mat.  |
| 6    | 2044T46 Round Cut-to-Length Shipping Tube, 0.93" ID, 48" Inside Length                 | 8<br>Each  | 8 GA    |
| 7    | 2044T47 Round Cut-to-Length Shipping Tube, 1.09" ID, 48" Inside Length                 | 10<br>Each | 10 GA   |



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER PO038512

**Supplier:** MCM001-VU  
McMaster-Carr Supply Co,  
P.O. Box 7690  
Chicago, IL 60680-7690 USA  
Phone: 330 995 5500  
Fax: 330 995 9600

**PO No:** PO038512

**PO Date:** 11/29/17

**Due Date:** 12/1/17

**Purchase Order  
Revision:**

**Revision Date:**

**Ship-To Contact:** Lavoie, Chantal  
clavoie@dartaero.com

**E-MAILED**  
NOV 29 2017

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**Via:** Ground

**Pymt Terms:** Net 30

**Freight Terms:**

**Special Comments:**

## Items

| Line Item                              | Part      | Rev | Description   | Item Tax | Status | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (USD) | Extended Price |
|--|-----------|-----|---|----------|--------|----------|----------------|-------------------|---------|------------------|----------------|
| 1                                      | 3408A88   | -   | Slotted Spring Plunger without thread locker receive ea |          | Firmed | 12/1/17  | 6 Ea           | 0 Ea              | 6 Ea    | \$4.36/Ea        | \$26.16        |
| 2                                      | 90128A274 | -   | Socket Head Cap Screw receive ea                        |          | Firmed | 12/1/17  | 50 Ea          | 0 Ea              | 50 Ea   | \$0.2466/Ea      | \$12.33        |
| 3                                      | 8893K178  | -   | Ø3/16 O1 Tool Steel Rod                                 |          | Firmed | 12/1/17  | 12 ft          | 0 ft              | 12 ft   | \$1.15/ft        | \$13.80        |
| <b>Line Item Note</b> 2 length of 6 ft |           |     |   |          |        |          |                |                   |         |                  |                |
| 4                                      | 8908K62   | -   | Shaft   |          | Firmed | 12/1/17  | 100 ft         | 0 ft              | 100 ft  | \$0.1425/ft      | \$14.25        |
| <b>Line Item Note</b> 1 pk of 100 pcs  |           |     |   |          |        |          |                |                   |         |                  |                |
| 5                                      | 8541K19   | -   | Black Nylon   |          | Firmed | 12/1/17  | 5 ft           | 0 ft              | 5 ft    | \$2.01/ft        | \$10.05        |
| 6                                      | 2044T46   | -   | Tube Ø0.93 receive ea                                   |          | Firmed | 12/1/17  | 8 Ea           | 0 Ea              | 8 Ea    | \$2.25/Ea        | \$18.00        |
| 7                                      | 2044T47   | -   | Tube Ø1.09 receive ea                                   |          | Firmed | 12/1/17  | 10 Ea          | 0 Ea              | 10 Ea   | \$2.42/Ea        | \$24.20        |
| 8                                      | 95229A420 | -   | Flat Washer receive pcs                                 |          | Firmed | 12/1/17  | 100 pcs        | 0 pcs             | 100 pcs | \$0.0309/pcs     | \$3.09         |
| 9                                      | 94505A533 | -   | Rigging Pin Assembly, No. 5, Ø1/4" x 2"                 |          | Firmed | 12/1/17  | 8 Ea           | 0 Ea              | 8 Ea    | \$18.20/Ea       | \$145.60       |
| 10                                     | 3896T31   | -   | Ferule 1/16 X 3/8" - Aluminum receive ea                |          | Firmed | 12/1/17  | 300 Ea         | 0 Ea              | 300 Ea  | \$0.1312/Ea      | \$39.36        |
| 11                                     | 98381A172 | -   | Dowel Pin   |          | Firmed | 12/1/17  | 10 Ea          | 0 Ea              | 10 Ea   | \$1.00/Ea        | \$10.00        |
| 12                                     | 91255A273 | -   | Socket head cap screw                                   |          | Firmed | 12/1/17  | 50 Ea          | 0 Ea              | 50 Ea   | \$0.2354/Ea      | \$11.77        |

**Grand Total:** \$328.61



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

## **PURCHASE ORDER PO038512**

### **Order Notes**

#### Procurement Quality Clauses

A005 RIGHT OF ENTRY

A016 PERSONNEL QUALIFICATION

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT

A033 STATEMENT OF CONFORMITY/TEST RECORDS FOR NAS, AN and MS FASTENERS

A040 NOTIFICATION OF QUALITY ESCAPE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENTS

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Plex 11/29/17 2:42 PM dart.lavoie.chantal

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 8541K19  
 DATE: DEC 05 2017

PO / BATCH NO.: 038512/5016488

MATERIAL CERT REC'D: Yes  
 QUANTITY RECEIVED: 5"  
 QUANTITY INSPECTED: 5"  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 5/8  
 THICKNESS RECEIVED: 5/8  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

| DESCRIPTION  | NCR<br>(Check<br>Y/N)                                      | COMMENTS |
|--|--|----------|
| SURFACE DAMAGE                                     | Y <input checked="" type="radio"/> N <input type="radio"/> |          |
| CORRECT FINISH                                     | <input checked="" type="radio"/> Y <input type="radio"/> N |          |
| CORROSION  | Y <input checked="" type="radio"/> N <input type="radio"/> |          |
| CORRECT GRAIN DIRECTION                            | <input checked="" type="radio"/> Y <input type="radio"/> N |          |
| CORRECT MATERIAL PER M-DRAWING                     | Y <input type="radio"/> N <input checked="" type="radio"/> | 8541K19  |
| CORRECT THICKNESS                                  | <input checked="" type="radio"/> Y <input type="radio"/> N |          |
| PHOTO REQUIRED                                     | Y <input checked="" type="radio"/> N <input type="radio"/> |          |
| CORRECT REF # TO LINK CERT                         | <input checked="" type="radio"/> Y <input type="radio"/> N | 038512   |
| CORRECT MATERIAL IDENTIFICATION                    | <input checked="" type="radio"/> Y <input type="radio"/> N |          |
| CORRECT M# ON THE MATERIAL                         | <input checked="" type="radio"/> Y <input type="radio"/> N |          |
| DOES THIS MATERIAL REQUIRE<br>ENGINEERING SIGN OFF | Y <input type="radio"/> N <input checked="" type="radio"/> |          |
| DOES THIS REQUIRE AN<br>EXTRUSION REPORT           | Y <input type="radio"/> N <input checked="" type="radio"/> |          |

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.  
 RECORD RESULTS BELOW

|                              | HRC | HRB | DUR A | DUR D | WEBSTER |
|------------------------------|-----|-----|-------|-------|---------|
| TYPE OF MATERIAL             |     |     |       |       |         |
| SIZE OF TEST SAMPLE          |     |     |       |       |         |
| HARDNESS / DUROMETER READING |     |     |       |       |         |

testers located in the Quality Office

|  |   |
|--|---|
| <b>QC 18 INSPECTION</b><br><br>INSPECTED BY: <u><i>rd</i></u> <small>DAS</small><br>DATE: <u>DEC 05 2017</u> | <b>ENGINEERING SIGNOFF (if required)</b><br><br>SIGNED OFF BY: _____<br>DATE: _____ |
|--|---|

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 8893K178  
 DATE: DEC 05 2017

PO / BATCH NO.: 038512/5016486

MATERIAL CERT REC'D: Yes  
 QUANTITY RECEIVED: 12"  
 QUANTITY INSPECTED: 12"  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 3/16 - 0.1875  
 THICKNESS RECEIVED: 3/16 0.1875  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

| DESCRIPTION                                     | NCR<br>(Check Y/N)                 |                                    | COMMENTS                 |
|---|------------------------------------|------------------------------------|--------------------------|
| SURFACE DAMAGE                                  | Y                                  | <input checked="" type="radio"/> N |                          |
| CORRECT FINISH                                  | <input checked="" type="radio"/> Y | <input type="radio"/> N            |                          |
| CORROSION                                       | Y                                  | <input checked="" type="radio"/> N |                          |
| CORRECT GRAIN DIRECTION                         | <input checked="" type="radio"/> Y | <input type="radio"/> N            |                          |
| CORRECT MATERIAL PER M-DRAWING                  | <input checked="" type="radio"/> Y | <input type="radio"/> N            | 8893K178                 |
| CORRECT THICKNESS                               | <input checked="" type="radio"/> Y | <input type="radio"/> N            |                          |
| PHOTO REQUIRED                                  | Y                                  | <input checked="" type="radio"/> N |                          |
| CORRECT REF # TO LINK CERT                      | <input checked="" type="radio"/> Y | <input type="radio"/> N            | <del>038512</del> 038512 |
| CORRECT MATERIAL IDENTIFICATION                 | <input checked="" type="radio"/> Y | <input type="radio"/> N            |                          |
| CORRECT M# ON THE MATERIAL                      | <input checked="" type="radio"/> Y | <input type="radio"/> N            |                          |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y                                  | <input checked="" type="radio"/> N |                          |
| DOES THIS REQUIRE AN EXTRUSION REPORT           | Y                                  | <input checked="" type="radio"/> N |                          |

| CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK.<br>RECORD RESULTS BELOW |     |     |       |       |         |
|--|-----|-----|-------|-------|---------|
|  | HRC | HRB | DUR A | DUR D | WEBSTER |
| TYPE OF MATERIAL   |     |     |       |       |         |
| SIZE OF TEST SAMPLE  |     |     |       |       |         |
| HARDNESS / DUROMETER READING   |     |     |       |       |         |

testers located in the Quality Office

| QC 18 INSPECTION  | ENGINEERING SIGNOFF (if required)   |
|---|-------------------------------------|
| INSPECTED BY: <u>[Signature]</u> <span style="float: right;">DAS<br/>9</span><br>DATE: <u>DEC 05 2017</u> | SIGNED OFF BY: _____<br>DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in